

PARAMOUNT MINERALS AND CHEMICALS LIMITED

MATERIAL SAFETY DATA SHEET OF PARAWHITE VR LIQUID

SECTION 01 : PRODUCT IDENTIFICATION

MANUFACTURE.....PARAMOUNT MINERALS AND CHEMICALS LIMITED
33, OLD HANUMAN LANE, KALBADEVI ROAD, MUMBAI -400002
TEL: 9122 - 22408562/22429302/56334471/56334472
PRODUCT NAME.....**PARAWHITE VR LIQUID**
PRODUCT USE.....**PAPER**
CHEMICAL FAMILY.....**C.I. FLOURESCENT BRIGHTENER 2630 PREPARATION OF
2,2'-STILBENEDISULFONIC ACID**
MATERIAL USE.....OPTICAL BRIGHTENING AGENT

SECTION 02 : HAZARDOUS INGREDIENTS

HAZARDOUS INGREDIENTS	%	T.L.V	C.A.S.#	LD/50, ROUTE, SPECIE	LC/50, ROUTE, SPECIE
NONE			99549-42-5	N/A	N/A

SECTION 03 : HAZARDS IDENTIFICATION

NO DANGER CLASSIFICATION IN ACCORDANCE WITH THE EUROPEAN UNION GUIDELINES.

SECTION 04 : FIRST AID MEASURES

EYE CONTACT.....IN CASE OF CONTACT, IMMEDIATELY FLUSH EYES WITH PLENTY OF WATER
FOR AT LEAST 15 MINUTES. CONSULT A PHYSICIAN IF IRRITATION
CONTINUES.
SKIN CONTACT.....IN CASE OF CONTACT, IMMEDIATELY FLUSH SKIN WITH PLENTY OF WATER.
REMOVE CONTAMINATED CLOTHING. WASH CLOTHING BEFORE REUSE.
INHALATION.....IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL
RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN. OBTAIN MEDICAL
ATTENTION.
INGESTION.....IF INGESTED, CONSULT A PHYSICIAN.
ADDITIONAL INFORMATION.....NOT AVAILABLE

SECTION 05 : FIRE FIGHTING MEASURES

FLASH POINT @ , METHOD.....N.A
AUTO IGNITION TEMPERATURE @.....N.A
UPPER FLAMABLE LIMIT (%VOL).....NOT AVAILABLE
LOWER FLAMABLE LIMIT(%VOL).....NOT AVAILABLE
EXTINGUISHING MEDIA.....CARBON DIOXIDE, DRY CHEMICAL, FOAM. WATER SPRAY
HAZARDOUS COMBUSTION PROD...BY FIRE: PROTECT AGAINST POTENTIALLY TOXIC AND IRRITATING FUMES .
SENSITIVITY TO MECHANICAL.....NOT APPLICABLE
IMPACT
SENSITIVITY TO STATIC.....NOT APPLICABLE
DISCHARGE

SECTION 06 : ACCIDENTAL RELEASE MEASURES

LEAK/SPILL.....SPILLS SHOULD BE TAKEN UP WITH SUITABLE ABSORBENT AND PLACED IN
CONTAINERS. SPILL AREA CAN BE WASHED WITH WATER. COLLECT WASH
WATER FOR APPROVED DISPOSAL.

SECTION 07 : HANDLING AND STORAGE

HANDLING PROCEDURES.....AVOID SKIN AND EYE CONTACT. AVOID BREATHUNG VAPORS. MAINTAIN A
GOOD PERSONAL HYGIENE.
STORAGE NEEDS.....KEEP CONTAINERS TIGHTLY CLOSED. STORE IN A COOL DRY AREA AWAY
FROM EXCESS HEAT.

.....2.....

SECTION 08 : EXPOSURE CONTROLS / PERSONAL PROTECTION

PROTECTIVE EQUIPMENT

EYE/TYPE.....SAFETY GLASSES
RESPIRATORY/TYPE.....NONE REQUIRED UNDER NORMAL USE.
GLOVES/TYPE.....CHEMICAL RESISTANT GLOVES.
CLOTHING/TYPE.....WEAR ADEQUATE PROTECTIVE CLOTHES.
FOOTWEAR/TYPE.....NOT APPLICABLE
OTHER/TYPE.....EYEWASH FOUNTAIN. EMERGENCY SHOWER SHOULD BE IN CLOSE

PROXIMITY .

VENTILATION REQUIREMENTS.....VENTILATE ADEQUATELY.

SECTION 09 : PHYSICAL PROPERTIES

PHYSICAL STATE.....**LIQUID**
ODOR.....**MILD ODOR**
SPECIFIC GRAVITY.....1.08 – 1.15 checked at room temperature 25-30 deg C.
ODOR THRESHOLD(ppm).....NOT AVAILABLE
VAPOUR PRESSURE(mm Hg).....N.A
VAPOUR DENSITY(AIR=1).....NOT AVAILABLE
EVAPORATION RATE.....NOT AVAILABLE
BOILING POINT(deg c).....100
pH value in 10% solution8.0 – 9.5
SOLUBILITY IN WATER(% w/w).....MISCIBLE
COEFFICIENT OF WATER/OIL.....NOT APPLICABLE
DISTRIBUTION
FREEZING POINT (deg c).....NOT AVAILABLE
MELTING POINT (deg c).....NOT AVAILABLE

SECTION 10 : STABILITY AND REACTIVITY

INCOMPATIBILITY.....NOT AVAILABLE
REACTIVITY CONDITIONS.....NOT AVAILABLE
HAZARDOUS PRODUCTS OF.....NOT AVAILABLE
DECOMPOSITION

SECTION 11 : TOXICOLOGICAL INFORMATION

ACUTE TOXICITY (LD50).....>5000 MG/KG (RAT)
IRRITANCY OF MATERIAL.....NON IRRITANT
SENSITIZING CAPABILITY OF.....NON SENSITIZING
MATERIAL
CARCINOGENICITY OF MATERIAL..
EXPERIENCE IN HUMANS.....NO KNOWN ADVERSE EFFECTS
TERATOGENICITY.....NOT AVAILABLE
MUTAGENICITY.....AMES TEST – NEGATIVE, CHROMOSOME ABERRATIONS TEST
(IN VITRO)- NEGATIVE , MICRO NUCLEAR TEST (IN VIVO) - NEGATIVE
REPRODUCTIVE EFFECTS.....NOT AVAILABLE
SYNERGISTIC MATERIALS.....NOT AVAILABLE

SECTION 12 : ECOLOGICAL INFORMATION

FISH TOXICITY.....LC50:>1000 mg/l , LC0>1000 mg/l
TEST SPECIES.....Zebdra Barbel
TESTING TIME.....96 H
BIODEGRADABILITY
INHABITION OF ACTIVITY OF.....50% - INHIBITORY EFFECTS: ABOVE 100 MG/L
WASTE WATER BACTERIA:
METHOD.....RESPIRATORY INHIBITION OF ACTIVATED SLUDGE ORGANISMS ACCORDING
TO D. BROWN ET AL., CHEMOSPHERE, 10(3), 245-261 (1981), AND CONFORMING
TO OECD GUIDELINE 209.

SECTION 13 : DISPOSAL CONSIDERATIONS

WASTE DISPOSAL.....IN ACCORDANCE WITH MUNICIPAL, PROVINCIAL AND FEDERAL
REGULATIONS.

SECTION 14 : TRANSPORT INFORMATION

T.D.G.CLASSIFICATION.....NON REGULATED.

SECTION 15 : REGULATORY INFORMATION AND LABELING

SYMBOL AND CLASSIFYING.....NO MARKINGS REQUIRED

EU GUIDELINE.....2001/58/EEC

SECTION 16 : OTHER INFORMATION

NOTE.....THIS INFORMATION IS FURNISHED WITHOUT WARRANTY, EXPRESSED OR IMPLIED, EXCEPT THAT IT IS ACCURATE TO THE BEST KNOWLEDGE OF PARAMOUNT MINERALS AND CHEMICALS LIMITED. AND ASSUMES NO

LEGAL

RESPONSIBILITY FOR USE OR RELIANCE UPON THESE DATA.

PREPARED BY.....HEALTH, ENVIRONMENT & SAFETY DEPT.

DATED.....MARCH 10/2010

PARAMOUNT MINERALS AND CHEMICALS LIMITED

33 OLD HANUMAN LANE, 1ST CROSS LANE, 2ND FLOOR, KALBADEVI ROAD, MUMBAI-400002.

TEL: +9122-40982500 * FAX: +9122-40982590

E-mail: whitener@vsnl.com

Website: www.pmclindia.com