

MATERIAL SAFETY DATA SHEET

Dolomer VAB

1. Identification

Product identifier

Dolomer VAB

Relevant identified uses: formulation auxiliary for the chemical industry

Details of the supplier of the safety data sheet

Manufacturer :

PARAMOUNT MINERALS AND CHEMICALS LIMITED
C-1001 Marathon Innova | Marathon Nextgen Complex, 10th Floor
Veer Santaji Lane | Off G.K Marg | Lower Parel
Mumbai-400013 | India.
Tel : 022-40982500 Fax : 022-40982590

2. Hazards Identification

Classification of the substance or mixture

According to UN GHS criteria

No need for classification according to GHS criteria for this product.

Label elements

PARAMOUNT MINERALS AND CHEMICALS LIMITED

(An ISO 9001:2008, ISO 14001:2004 & OHSAS 18001:2007 Certified Company)

C-1001 Marathon Innova | Marathon Nextgen Complex, 10th Floor
Veer Santaji Lane | Off G.K Marg | Lower Parel
Mumbai-400013 | India.

Tel : 022-40982500 Fax : 022-40982590

Website: www.pmclindia.com | Email : info@pmclindia.com

MATERIAL SAFETY DATA SHEET

Dolomer VAB

Globally Harmonized System (GHS)

The product does not require a hazard warning label in accordance with GHS criteria.

Other hazards

According to UN GHS criteria

No specific dangers known, if the regulations/notes for storage and handling are considered.

3. Composition/Information on Ingredients

Substances

Not applicable

Mixtures

Chemical nature

polyacrylic acid, sodium salt, in water

4. First-Aid Measures

Description of first aid measures

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air.

On skin contact:

Wash thoroughly with soap and water.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Rinse mouth and then drink plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms: No significant symptoms are expected due to the non-classification of the product.

Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

PARAMOUNT MINERALS AND CHEMICALS LIMITED

(An ISO 9001:2008, ISO 14001:2004 & OHSAS 18001:2007 Certified Company)

C-1001 Marathon Innova | Marathon Nextgen Complex, 10th Floor
Veer Santaji Lane | Off G.K Marg | Lower Parel
Mumbai-400013 | India.

Tel : 022-40982500 Fax : 022-40982590

Website: www.pmclindia.com | Email : info@pmclindia.com

MATERIAL SAFETY DATA SHEET

Dolomer VAB

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:
water spray, dry powder, foam

Special hazards arising from the substance or mixture

harmful vapours

Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Further information:

Contaminated extinguishing water must be disposed of in accordance with official regulations.

6. Accidental Release Measures

High risk of slipping due to leakage/spillage of product.

Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Information regarding personal protective measures see, section 8.

Environmental precautions

Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

For large amounts: Pump off product.

For residues: Pick up with suitable absorbent material. Dispose of absorbed material in accordance with regulations.

Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

7. Handling and Storage

Precautions for safe handling

No special measures necessary provided product is used correctly.

Protection against fire and explosion:

No special precautions necessary.

Conditions for safe storage, including any incompatibilities

PARAMOUNT MINERALS AND CHEMICALS LIMITED

(An ISO 9001:2008, ISO 14001:2004 & OHSAS 18001:2007 Certified Company)

C-1001 Marathon Innova | Marathon Nextgen Complex, 10th Floor
Veer Santaji Lane | Off G.K Marg | Lower Parel
Mumbai-400013 | India.

Tel : 022-40982500 Fax : 022-40982590

Website: www.pmclindia.com | Email : info@pmclindia.com

MATERIAL SAFETY DATA SHEET

Dolomer VAB

Suitable materials for containers: Stainless steel 1.4401, Stainless steel 1.4301 (V2), High density polyethylene (HDPE), glass, Low density polyethylene (LDPE), Stove-lacquer RDL 16
Further information on storage conditions: Keep container tightly closed and in a cool place.

Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

8. Exposure Controls/Personal Protection

Control parameters

Components with occupational exposure limits

none

Exposure controls

Personal protective equipment

Respiratory protection:
Respiratory protection not required.

Hand protection:

Chemical resistant protective gloves (EN 374)

Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374):

e.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), polyvinylchloride (0.7 mm) and other

Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.

Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

General safety and hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Form: aqueous solution
Colour: yellowish
Odour: product specific

PARAMOUNT MINERALS AND CHEMICALS LIMITED

(An ISO 9001:2008, ISO 14001:2004 & OHSAS 18001:2007 Certified Company)

C-1001 Marathon Innova | Marathon Nextgen Complex, 10th Floor
Veer Santaji Lane | Off G.K Marg | Lower Parel
Mumbai-400013 | India.

Tel : 022-40982500 Fax : 022-40982590

Website: www.pmclindia.com | Email : info@pmclindia.com

MATERIAL SAFETY DATA SHEET

Dolomer VAB

Odour threshold:	No data available.	
pH value:	approx. 8 (50 g/l)	(DIN 19268)
solidification temperature:	approx. -20 °C	
Flash point:	> 100 °C	(DIN 51758)
Flammability:	not flammable	
Ignition temperature:	> 200 °C	(DIN 51794)
Vapour pressure:	approx. 23 mbar (20 °C)	
Density:	approx. 1,34 g/cm ³ (23 °C)	(DIN 51757)
Relative density:	No data available.	
Relative vapour density (air):	not determined	
Solubility in water:	soluble	
Partitioning coefficient n-octanol/water (log Kow):	not applicable	
Thermal decomposition:	> 150 °C	
Viscosity, dynamic:	approx. 1.300 mPa.s (23 °C)	

Other information

Miscibility with water:
miscible in all proportions

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: No corrosive effect on metal.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.

Conditions to avoid

See MSDS section 7 - Handling and storage.

PARAMOUNT MINERALS AND CHEMICALS LIMITED

(An ISO 9001:2008, ISO 14001:2004 & OHSAS 18001:2007 Certified Company)

C-1001 Marathon Innova | Marathon Nextgen Complex, 10th Floor
Veer Santaji Lane | Off G.K Marg | Lower Parel
Mumbai-400013 | India.

Tel : 022-40982500 Fax : 022-40982590

Website: www.pmclindia.com | Email : info@pmclindia.com

MATERIAL SAFETY DATA SHEET

Dolomer VAB

Incompatible materials

Substances to avoid:

strong bases, strong acids, reactive chemicals, mild steel, carbon steel (iron), light metals, water reactive substances

Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Information on toxicological effects

Acute toxicity

Experimental/calculated data:

LD50 rat (oral): > 2.000 mg/kg

Irritation

Experimental/calculated data:

Skin corrosion/irritation rabbit: non-irritant (OECD Guideline 404)

Serious eye damage/irritation rabbit: non-irritant (OECD Guideline 405)

12. Ecological Information

Toxicity

Toxicity to fish:

LC50 (96 h) > 100 mg/l, *Leuciscus idus*

Aquatic plants:

EC50 (72 h) > 100 mg/l

Microorganisms/Effect on activated sludge:

EC10 > 1.000 mg/l, activated sludge, domestic, adapted (DEV-L2)

Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentrations.

Persistence and degradability

Elimination information:

20 - 70 % DOC reduction (28 d) (OECD 302B; ISO 9888; 88/302/EEC, part C) Moderately/partially eliminated from water.

PARAMOUNT MINERALS AND CHEMICALS LIMITED

(An ISO 9001:2008, ISO 14001:2004 & OHSAS 18001:2007 Certified Company)

C-1001 Marathon Innova | Marathon Nextgen Complex, 10th Floor

Veer Santaji Lane | Off G.K Marg | Lower Parel

Mumbai-400013 | India.

Tel : 022-40982500 Fax : 022-40982590

Website: www.pmclindia.com | Email : info@pmclindia.com

MATERIAL SAFETY DATA SHEET

Dolomer VAB

Bioaccumulative potential

Assessment bioaccumulation potential:

Based on its structural properties, the polymer is not biologically available. Accumulation in organisms is not to be expected.

Mobility in soil

Assessment transport between environmental compartments:

Volatility: not determined

Results of PBT and vPvB assessment

According to Annex XIV of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria. Self classification

Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

Additional information

Sum parameter

Chemical oxygen demand (COD): 465 mg/g

Other ecotoxicological advice:

Do not release untreated into natural waters.

13. Disposal Considerations

Waste treatment methods

Contaminated packaging:

Uncontaminated packaging can be re-used.

Packs that cannot be cleaned should be disposed of in the same manner as the contents.

PARAMOUNT MINERALS AND CHEMICALS LIMITED

(An ISO 9001:2008, ISO 14001:2004 & OHSAS 18001:2007 Certified Company)

C-1001 Marathon Innova | Marathon Nextgen Complex, 10th Floor

Veer Santaji Lane | Off G.K Marg | Lower Parel

Mumbai-400013 | India.

Tel : 022-40982500 Fax : 022-40982590

Website: www.pmclindia.com | Email : info@pmclindia.com

MATERIAL SAFETY DATA SHEET

Dolomer VAB

14. Transport Information

Land transport

ADR

Not classified as a dangerous good under transport regulations
 UN number: Not applicable
 UN proper shipping name: Not applicable

Transport hazard class(es): Not applicable
 Packing group: Not applicable
 Environmental hazards: Not applicable
 Special precautions for user: None known

RID

Not classified as a dangerous good under transport regulations
 UN number: Not applicable
 UN proper shipping name: Not applicable
 Transport hazard class(es): Not applicable
 Packing group: Not applicable
 Environmental hazards: Not applicable
 Special precautions for user: None known

Inland waterway transport

ADN

Not classified as a dangerous good under transport regulations
 UN number: Not applicable
 UN proper shipping name: Not applicable
 Transport hazard class(es): Not applicable
 Packing group: Not applicable
 Environmental hazards: Not applicable
 Special precautions for user: None known

Transport in inland waterway vessel

Not evaluated

PARAMOUNT MINERALS AND CHEMICALS LIMITED

(An ISO 9001:2008, ISO 14001:2004 & OHSAS 18001:2007 Certified Company)

C-1001 Marathon Innova | Marathon Nextgen Complex, 10th Floor
 Veer Santaji Lane | Off G.K Marg | Lower Parel
 Mumbai-400013 | India.

Tel : 022-40982500 Fax : 022-40982590

Website: www.pmclindia.com | Email : info@pmclindia.com

MATERIAL SAFETY DATA SHEET

Dolomer VAB

Sea transport

IMDG

	Not classified as a dangerous good under transport regulations
UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Air transport

IATA/ICAO

	Not classified as a dangerous good under transport regulations
UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

UN number

See corresponding entries for "UN number" for the respective regulations in the tables above.

UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

PARAMOUNT MINERALS AND CHEMICALS LIMITED

(An ISO 9001:2008, ISO 14001:2004 & OHSAS 18001:2007 Certified Company)

C-1001 Marathon Innova | Marathon Nextgen Complex, 10th Floor
Veer Santaji Lane | Off G.K Marg | Lower Parel
Mumbai-400013 | India.

Tel : 022-40982500 Fax : 022-40982590

Website: www.pmclindia.com | Email : info@pmclindia.com

MATERIAL SAFETY DATA SHEET

Dolomer VAB

Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

Transport in bulk according to Annex II of MARPOL and the IBC Code

Regulation:	Not evaluated
Shipment approved:	Not evaluated
Pollution name:	Not evaluated
Pollution category:	Not evaluated
Ship Type:	Not evaluated

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

16. Other Information

Information on intended use: This product is of industrial quality and unless otherwise specified or agreed intended exclusively for industrial use. This includes the mentioned and recommended usage. Any other intended applications should be discussed with the manufacturer. In particular this concerns the application for products that are the object of special standards and regulations.

Print Date : 31 Oct 2016

PARAMOUNT MINERALS AND CHEMICALS LIMITED

(An ISO 9001:2008, ISO 14001:2004 & OHSAS 18001:2007 Certified Company)

C-1001 Marathon Innova | Marathon Nextgen Complex, 10th Floor
Veer Santaji Lane | Off G.K Marg | Lower Parel
Mumbai-400013 | India.

Tel : 022-40982500 Fax : 022-40982590

Website: www.pmclindia.com | Email : info@pmclindia.com